## Connecticut Department of Public Health HIV Surveillance Program Recently Diagnosed HIV cases by Risk, Sex, Race, and Age Group, Fairfield County, 2012 - 2016

	Mode of Transmission															
	MSM		IDU		MSM and IDU		Heterosexual contact		Perinatal		Presumed Heterosexual contact		Unknown		Total	
	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of total
Total	196	47.0	18	4.3	4	1.0	131	31.4	2	0.5	15	3.6	51	12.2	417	100.0
Sex																
Male	196	64.1	13	4.2	4	1.3	50	16.3	1	0.3	0	0	42	13.7	306	73.4
Female	0	0	5	4.5	0	0	81	73.0	1	0.9	15	13.5	9	8.1	111	26.6
Race/ethnicity																
Black/African American	51	27.3	10	5.3	0	0	94	50.3	2	1.1	9	4.8	21	11.2	187	44.8
Hispanic/Latino	68	59.6	4	3.5	2	1.8	23	20.2	0	0	2	1.8	15	13.2	114	27.3
White	72	69.2	4	3.8	2	1.9	11	10.6	0	0	3	2.9	12	11.5	104	24.9
Other/Multiple races	5	41.7	0	0	0	0	3	25.0	0	0	1	8.3	3	25.0	12	2.9
Age at diagnosis																
<20	5	33.3	1	6.7	0	0	2	13.3	2	13.3	3	20.0	2	13.3	15	3.6
20-29	78	66.1	2	1.7	1	0.8	27	22.9	0	0	2	1.7	8	6.8	118	28.3
30-39	49	52.1	2	2.1	2	2.1	29	30.9	0	0	1	1.1	11	11.7	94	22.5
40-49	28	32.6	5	5.8	0	0	34	39.5	0	0	6	7.0	13	15.1	86	20.6
50-59	27	38.6	6	8.6	0	0	23	32.9	0	0	3	4.3	11	15.7	70	16.8
60+	9	26.5	2	5.9	1	2.9	16	47.1	0	0	0	0	6	17.6	34	8.2

This table presents HIV Infection cases using the year the person was first diagnosed. The term HIV Infection is used to refer to three categories of diagnoses collectively:

- 1 persons with a diagnosis of HIV infection (not AIDS)
- 2 a diagnosis of HIV infection and a later diagnosis of AIDS
- 3 concurrent diagnoses of HIV and AIDS.
- 4 other/unknown risk includes perinatal.

Data supplied from HIV Surveillance for cases reported through 2017